

Commercial Exclusive model. 4 zone induction cooktop with AutoMax zone control, OptiHeat controls, Oko timer and DirektTouch slide controls.



Product Details

FEATURES

Minute minder

DirekTouch™ controls

3 level residual heat indication

Induction technology
Induction is safe, fast and energy efficient.

Automax

Function Safety Lock

Oko timer

Perfect control

OptiHeat control

Stop + Go: to reduce to warm setting if interrupted

Commercial exclusive brand
Available exclusively to commercial companies

BENEFITS

AutoMax

Our AutoMax cooking function provides fantastic automatic zone control. After you have selected the AutoMax function, it will bring the zone up to the boil and will then reduce it to your pre-selected power level for the remainder of the cooking time.

OptiHeat control

OptiHeat monitors each heat zone as it cools to help you make the most efficient use of remaining residual heat to cook or keep food warm.

Perfect Control

Gives you instant access to your cooktops and immediate control to select the precise level you need, all at the touch of a finger.

Oko Timer

The Oko Timer is an intelligent way for you to use your resources more efficiently. When you pre-set the cooking time on the cooktop, the timer works out precisely when to switch off in order to finish cooking the dish using the cooktops residual heat. The result? The same high quality food to help lower energy bills.

Induction Technology

Induction cooktops offer maximum safety, automatic pot recognition ensures even if the hob is accidentally switched on, it will not heat up unless the wok is placed on the cooking zone.

Induction cooktops are extremely easy to keep clean, the smooth ceramic surface can be wiped quickly, and spillages don't burn or bake on because the area surrounding the pan stays cool.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	5
Cooktop type	full induction
Materials/Colour	black ceramic glass
Trim finish	stainless steel

CONTROLS

Controls of Cooktops	DirekTouch
Position of controls	right front
Functions of Cooktops	stop and go,Keep warm function,automatic switch off,AutoMax automatic heat up,power booster,acoustic signal,pause,Hob2Hood
Indicators/display	fault indicator,3 level residual heat indicator
Features of Cooktop	minute minder,function lock,sound off,auto pot sensors,snap in fastening system,safety child lock

DIMENSIONS

Total product height (mm)	46
Total product width (mm)	576
Total product depth (mm)	516
Cut out width (mm)	560
Cut out depth (mm)	490

ELEMENTS/BURNERS

LEFT FRONT ZONE

Left front zone	induction
Left front Watts	2300
Left front boost watts	3700
Left front diameter mm	210

CONTROLS

Timer of Cooktop	CountUp,Minute minder
------------------	-----------------------

LEFT REAR ZONE

Left rear zone	induction
----------------	-----------

Left rear watts	1800
-----------------	------

Left rear diameter mm	180
-----------------------	-----

RIGHT FRONT ZONE

Right front zone	induction
------------------	-----------

Right front Watts	1400
-------------------	------

Right front diameter mm	145
-------------------------	-----

RIGHT REAR ZONE

Right rear zone	induction
-----------------	-----------

Right rear watts	1800
------------------	------

Right rear diameter mm	180
------------------------	-----

ELECTRICAL SPECIFICATIONS

Connected load KW	7.4
-------------------	-----

Type of connection	hardwired
--------------------	-----------

SHIPPING

Shipping Weight (Kg)	11.30
----------------------	-------

Pack Dimensions Height (mm)	118
-----------------------------	-----

Pack Dimension Width (mm)	678
---------------------------	-----

SHIPPING

Pack Dimension Depth (mm)	600
------------------------------	-----

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz